Extend Microsoft® Lync® into the meeting room

The SMART Room System™ for Microsoft® Lync®

Relying on over 20 years of experience in creating intuitive technology solutions, the SMART Room System was designed and manufactured by SMART. It consists of innovative features that cannot be found in any other Lync Room System, all developed with the goal of easily extending Microsoft Lync into the meeting room.





Consider this	Traditional video conferencing*	SMART Room System for Microsoft Lync
Vendors involved	Up to 8	1
Time to receive a quote	Up to a week	1 day
Simplified quote (fewer SKUs and line items)	More than 50	1 (for a standard system) 2 - 3 (for optional stand or additional microphones)
Cost per room	\$50,000 - \$60,000	\$20,000 - \$30,000
Installation time	Up to a week	1 - 2 days
Environment renovation	Wall reinforcement, lighting, window treatments	Optional wall stand (no need to reinforce wall) No need for specialized lighting or windows

^{*}These values are approximate and are for comparison purposes only. Each installation will vary, depending on its complexity and equipment requirements

A right fit for every meeting room

An integrated, turnkey solution with HD video and enriched audio, the SMART Room System is available in three sizes.



SMALL

Up to 6 people One 70" (178 cm) display



MEDIUM

Up to 12 people One 84" (213 cm) display



LARGE

Up to 16 people Two 70" (178 cm) displays

Why choose the SMART Room System?

Riejan

Walk-in and use - - - - -

Built-in sensors automatically turn the system on when you enter the room and powers it off when it's not in use.

Size matters - -

70" (178cm) and 84" (213cm) displays provide plenty of room for collaboration and are ideal for viewing and interacting with highly detailed content.

Easily control meeting activity - - -

With its 11.6" display, the console has extralarge touch points, which makes controlling the overall meeting easier without the need for a remote control.

Enhanced audio experience - -

Echo-cancelling microphones and speakers provide high-quality audio, and you can daisy-chain up to 5 to support various meeting room sizes and configurations.

- See everything in HD

The 109° field of view – the widest of any videoconferencing camera – makes it easy for remote participants to see the entire room.

A camera for any environment

SMART's HD camera optimizes picture quality without the need for specialized lighting, window treatments or room management systems.



· Intuitive interaction

SMART's proprietary touch and camera technology enables participants to switch seamlessly between a pen or finger, or to erase with a fist – all without having to return the pen to the tray.

Optional wall stand

An optional stand and cable routing system simplifies installation and eliminates the need for costly wall reinforcements.

Maximize your investment

An integrated solution

Installation and maintenance are easier because all system components are manufactured and supported by one vendor: SMART Technologies.

Microsoft System Center integration

The system integrates with Microsoft System Center for diagnostics and reporting, meaning there's no need to purchase third-party reporting tools.

Buy the Future Today

With 20 years of experience and dozens of patents on touch, SMART displays have multi-touch and gesture support built-in ready as these features are enabled within Microsoft Lync.

Developed in partnership with Microsoft

Optimized for Lync

Tested and certified by Microsoft to ensure the best user experience.



See it. Touch it. Experience it.

Experience the SMART Room System for yourself – it's the best way to understand how to transform your collaboration sessions.

Contact us today to schedule a live demonstration.

smarttech.com/SMARTRoom





© 2013 SMART Technologies. All rights reserved. SMART Room System, the SMART logo, smarttech and all SMART taglines are trademarks or registered trademarks of SMART Technologies in the U.S. and/or other countries. All third party product and company names are for identification purposes only and may be trademarks of their respective owners.